

1 WHAT IS CLAIMED IS:

2 Sub 1. A portable workstation comprising:
3 a1-7

4 a surface having front and back ends;

5 first and second leg assemblies; and

6 a back attached to said back end of said surface, and

7 attached to said first and second leg assemblies;

8 wherein said surface is movably attached to back at an
9 angle.

10 2. A portable workstation according to claim 1, wherein said
11 first and second leg assemblies are at least three
12 inches in height.

13 Sub 3. A portable workstation according to claim 1, wherein said
14 a2-7 angle is between thirty and sixty degrees.

15 4. A portable workstation according to claim 1, wherein said
16 angle is thirty-eight degrees.

17 Sub 5. A portable workstation according to claim 1, wherein said
18 a3-7 first and second leg assemblies are between three and
19 six inches in height.

1 6. A portable workstation according to claim 1, wherein said
2 first and ~~second~~ leg assemblies are three inches in
3 height.

4
5 Sub 7. A portable workstation according to claim 1, wherein said
6 a4 workstation further comprises a raised portion at said
7 front end of said surface, wherein said raised portion
8 holds the contents of said workstation in position on
9 said surface.

10
11 8. A portable workstation according to claim 7, wherein said
12 raised portion is rectangular.

13
14 9. A portable workstation according to claim 1, wherein said
15 workstation is constructed of a hard plastic.

16
17 10. A portable workstation according to claim 1, wherein said
18 workstation is constructed of wood.

19
20 11. A portable workstation according to claim 1, wherein said
21 workstation is constructed of soft plastic.

Sub 657 12. A portable workstation according to claim 1, wherein said workstation further comprises a shelf, and wherein said shelf is positioned between said first and second legs, and below said surface.

13. A portable workstation according to claim 1, wherein said first and second legs are attached to said back via hinges.

14. A portable workstation according to claim 13, wherein said workstation folds into a flat unit, less than sixteen inches long, less than thirteen inches wide, and less than three inches thick.

Sub 967 15. A portable workstation according to claim 1, wherein said workstation supports said laptop computer in such a way that the screen of said laptop is positioned between eight and sixteen inches off a user's lap, and wherein the keyboard of said laptop is between three and six inches off a user's lap.

16. A portable workstation according to claim 1, wherein said workstation further comprises a base connected to the bottom of said first and second legs.

1 17. A portable workstation according to claim 16, wherein said
2 base is connected to said first and second legs via hinges.

3
4 18. A portable workstation according to claim 17, wherein said
5 workstation folds into a portable unit.
6

7 19. A portable workstation for supporting a laptop computer,
8 wherein said workstation comprises:

9 a surface angled at thirty-eight degrees;

10 first and second legs connected to said surface via
11 hinges;

12 a base connected to said first and second legs below
13 said surface; and

14 a shelf connected to said first and second legs, said
15 shelf positioned between said base and said surface.
16
17

*Added
67*